


RECOMMENDED PCB LAYOUT



RECOMMENDED PCB LAYOUT


PCB LAYOUT SIZE

PIN	A(mm)	B(mm)	C(mm)	D(mm)
24	19.8	9.45	10.35	29.15
28	23.4	11.25	12.15	32.75
32	27.0	13.05	13.95	36.35
36	30.6	14.85	15.75	39.95
40	34.2	16.65	17.55	43.55

PCB LAYOUT SIZE

PIN	A(mm)	B(mm)	C(mm)	D(mm)
22	18.0	9.45	8.55	27.35
26	21.6	11.25	10.35	30.95
30	25.2	13.05	12.15	34.55
34	28.8	14.85	13.95	38.15
38	32.4	16.65	15.75	41.75

UNIT:mm

TITLE
Z CONN., N SHLD, P 0.9, F
SMDTOLERANCE
.X ±0.25
.XX ±0.1
.XXX ±0.05
ANGLES ±1°SCALE
1:1SIZE
A4SHEET
2 OF 4REV.
BWC-REV.
.0

QC: Inspection item

Amphenol LTW
安費諾亮泰企業股份有限公司

ITEM NO

DWG NO

CUSTOMER

ZB-XXAFRS-BA0001

ALTW

DRAWN BY

CHECKED BY

APPROVED BY

Xiaofeng

Feng-Li

Jerry

DATE



DATE

DATE

2022/04/07

2022/04/07


2022/04/07



UNIT: mm				TITLE Z CONN., N SHLD, P 0.9, F SMD			<div>Amphenol LTW</div> <div>安費諾亮泰企業股份有限公司</div>			ITEM NO		DRAWN BY Xiaofeng		DATE 2022/04/07				
TOLERANCE .X ±0.25 .XX ±0.1 .XXX ±0.05 ANGLES ±										SCALE 1:1		SIZE A4		SHEET 3 OF 4		DWG NO ZB-XXAFRS-BA0001		CHECKED BY Feng-Li
				REV. B		WC-REV. .0				QC: Inspection item		CUSTOMER ALTW		APPROVED BY Jerry		DATE 2022/04/07		

W10814-03-西醫01A2

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.



Note:
* \varnothing Important Dimensions To Check.
* MATERIAL: BLACK CONDUCTIVE POLYSTYRENE ALLOY(UP-6100).

UNIT:mm		TITLE		ITEM NO		DRAWN BY		DATE	
TOLERANCE		Z CONN., N SHLD, P 0.9, F SMD		DWG NO		Xiaofeng		2022/04/07	
.X		SCALE	1:1	SIZE	A4	SHEET	4	OF	4
.XX		REV.	B	WC-REV.	.0	QC:Inspection item		CHECKED BY	Feng-Li
.XXX		Amphenol LTW		CUSTOMER		ALTW		APPROVED BY	Jerry
ANGLES		安費諾亮泰企業股份有限公司						DATE	2022/04/07
								DATE	2022/04/07