




THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.



THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.



NOTE:  
☉\* Connector Orient follow Drawing



Peeling angle 165°~180°  
Peeling strength 0.1~1.3N Max.  
(300±10mm/min/)




UNIT:mm	
TOLERANCE	
.X	±0.25
.XX	±0.1
.XXX	±0.05
ANGLES	±1°

TITLE N SEN, M12 B -SHLD, NONE RECEPTACLE, F, F, PCB SMT			
SCALE FREE	SIZE A4	SHEET 2	OF 3
REV. D	WC-REV. A.1	☉: Inspection item	

**Amphenol LTW**  
安費諾亮泰企業股份有限公司

ITEM NO	DRAWN BY Vicky	DATE 2024-04-12
DWG NO MSBS-XXPFFT-EE0001	CHECKED BY Arvin	DATE 2024-04-12
CUSTOMER ALTW	APPROVED BY Fred	DATE 2024-04-12



Note:  
100 PCS(Connector)/Tape&Reel Put in a Box  
5PCS(Max.) Box Put in a Carton

UNIT: mm						TITLE N SEN, M12 B -SHLD, NONE RECEPTACLE, F, F, PCB SMT 		<h1>Amphenol LTW</h1> <h2>安費諾亮泰企業股份有限公司</h2>		ITEM NO		DRAWN BY Vicky		DATE 2024-04-12	
TOLERANCE .X ±0.25 .XX ±0.1 .XXX ±0.05 ANGLES ±		SCALE FREE		SIZE A4		SHEET 3 OF 3				DWG NO MSBS-XXPFFT-EE0001		CHECKED BY Arvin		DATE 2024-04-12	
		REV. D		WC-REV. A.1		QC: Inspection item				CUSTOMER ALTW		APPROVED BY Fred		DATE 2024-04-12	